Description \						
Products	SD3	MIDJAY Pro	SD40	SD90 Pro	AUDYA 4	SD1000
					Audya 5 (61 Keys, Joy stick),	
				SD9 (76 Full Size Keys semi-	Audya (76 Keys, dedicated	
				weighted, dedicated	modulation and pitch bend	
	SD5 (61 Keys, Joy stick),		SD7 (61 Keys with speakers,	modulation and pitch bend	wheels, SPDIF In/Out),	
			joy stick) &	wheels),		
	SD8 (Chromatic button keyboard,				Audya 8 (Chromatic button	
VEVDOARD VERSIONS	dedicated modulation and pitch	NI/A	SD80 (Button Accordion	SD60 (61 Keys soft weighted	keyboard, dedicated modulation	NI/A
KEYBOARD VERSIONS	wheels)	N/A	with speakers, joy stick)	with speakers, joy stick)	and pitch wheels) 16 on Pannel. 1 Slidder. Mode	N/A
	16 on pannel. Mode select for				select for Drums on/ff, SFX, GM	
PROGRAMMABLE	Drums on/ff, SFX, GM Part access,				Part access, Programmable,	
BUTTONS/SCREEN	Programmable, Registration				Registration Groups by Name,	
ICONS/SLIDDERS	Groups by Name, Arabic scale.	N/A	5 On screen	5 On screen	Arabic scale.	N/A
		128 notes. 48 Multi timbral	128 notes. 48 multi timbral	128 notes. 64 Multi timbral		128 motes. 32 multi tibral
POLYPHONY	64 notes. 32 Multi timbral parts.	parts.	parts.	parts.	197 notes. 32 Multi timbral parts.	(2X16) parts.
				7" - TFT CAPACITIVE (like I-Pad)	320 X 240 pixel. Color Graphic	
DISPLAY SCREEN TYPE	240 X 128 Back lit graphic TCF	7" - TFT Color display	7" - TFT Color display	Color display	display	N/A
		2 Audio & Midi Player.				
		Tempo & Pitch stretching. Pre				
		Fader Listen (PFL). Sync. Tap Tempo. Cue. Fx Pad. Back			5 Audio and Midi Players. Wave,	
		Spin. Break. Player1. Player2	Single PLAYER (Wav, Midi,	2 Audio & Midi Player (Wav,	Mp3 and Midifile Multi Player.	
		(Wav, Midi, Mp3, Mp4, Avi,	Mp3, Mp4, Avi, Flv, Jpg. Txt,	Midi, Mp3, Mp4, Avi, Flv, Jpg.	Real time stretching on Audio	
		Flv, Jpg. Txt, PDF). Real time	PDF). Real time stretching	Txt, PDF). Real time stretching	and Audio Transposition. DJ	
MULTI MEDIA Player	With USB & Audio Card Reader	stretching on Audio and	on Audio and Audio	on Audio and Audio	Loop,, Sfx, Play List. 2 Tracks HD	
(DJ Features)	installed - Mp3, Wave & Midifiles.	Audio Transposition.	Transposition.	Transposition.	Recording.	N/A
					512 Voices. 51 Drum Sets. 3 Super	
					Kits. 24 User Drum Sets. 10	
			668 Voices. 48 Drum Sets.	672 Voices. 61 Drum Sets (3	Percussion Sections. Drum Mixer.	
		512 Voices. 47 Drums Sets.	Live Drum Kit. Drum	Live Drum Kits). Drum Mixer.	Manual Drums. Multi Layer Voices	
		267 Audio Drum Grooves.	Modelling. Drum Mixer.	Manual Drums. 80	(VCE-2 Articulation). 3 Splits. 3	540.4.1
		Audio Drum Modelling. 368	Manual Drums. 368	Progammable and styles	Layers. Trigger with KEY ON/OFF	512 Voices. 4 Sound Banks.
		User/Programmable Voices. Drum Mixer. Manual Drums. 3	User/Programmable voices. 3 Splits. 3 Layers. Harmony	assignable. 1500 User/Programmable voices. 3	Technology. Voice Morphing with programmable Key on/off time.	37 Drum Sets. Live Drum Modelling. Multi Layer
	290 Voices. 1000 Percussive	Splits. 3 Layers. Harmony	assignable to any of 3	Splits. 3 Layers. Harmony	Harmony assignable to any of 3	Snares. Noise and Slide
SOUNDS (FACTORY)	Sounds. 110 User Voices.	assignable to any of 3 voices.	voices.	assignable to any of 3 voices.	voices.	Articulations (VCE).
ASSIGNABLE VOICES						
(Including 2nd Voice on					2 LEFT. 1 DEDICATED LEFT. 4	Variable based on Midi
Right)	2 LEFT. 5 RIGHT	2 LEFT. 4 RIGHT	2 LEFT. 4 RIGHT	2 LEFT. 4 RIGHT	RIGHT	channel assignment.
					YES. EDITABLE:- 9 Drawbar	
					Slidders. Rotor Click. Percussion.	
ORGAN DRAWBARS	YES (Presets)	YES (Presets)	YES (Presets)	YES (Presets)	Over Drive.	Controlled via PC Software.

				1	1	
Digital Sound Processing	60 Programmable. Chorus. Reverb. Flanger. Phaser. Tremlo. Rotary. Echo. Delay.	54 Inserts. 10 Programmable insert chains. Chorus. Reverb. Flanger. Phaser. Tremlo. Rotary. Echo. Delay.	54 Inserts. 10 Programmable insert chains. Chorus. Reverb. Flanger. Phaser. Tremlo. Rotary. Echo. Delay.	2 X DSP with separate Reverb and Chorus units. 64 Inserts. 10 Programmable insert chains. Chorus. Reverb. Flanger. Phaser. Tremlo. Rotary. Echo. Delay. Auto Pan. Echo Delay. Tap Delay. Equalizer. Distortion. Amp Simulator. Compressor, Filter.	3 Multi Effects DSP. 54 Inserts. 10 Programmable insert chains. Chorus. Reverb. Flanger. Phaser. Tremlo. Rotary. Echo. Delay. Parametric 4 bands EQ	2 X Effects inserts with 16 Presets. High quality Distortion. EQ.
AJAMSONIC SOUNDS (When installed)	N/A	N/A	140	140	70 (Additional 140 in Hard Drive can be loaded into RAM)	20
USER/PROGRAMMABLE VOICES FAVORITE VOICE	110 (3 Layers + 2nd Voice)	368 (3 Layers + 2nd Voice)	368 (3 Layers + 2nd Voice)	1500 (3 Layers + 2nd Voice)	300 (4 Layers + 2nd Voice)	N/A
LOCATIONS/VOICE LIST	YES	YES	YES	YES	YES	N/A
VOICES LINKED TO STYLES/MIDIFILES/WAVE/ MP3 (1 TOUCH)	60	40	40	80	20	N/A
Live Panel Control Volumes (Drums, Bass, Chords, Master volume etc)	1 Slidder	11 Slidders	7 Knobs	11 Slidders	17 Slidders	N/A
STYLES / ARRANGER (FACTORY)	128 - with Midi Drums & Audio Grooves. RIFF Styles.	143 - with Midi Drums & Audio Grooves.	260 - with Midi Drums & Audio Grooves. RIFF Styles with AJAMSONIC package installed.	400 (Includes all SD40 Factory styles). RIFF Styles with AJAMSONIC Package installed.	570 Styles with Audio Live Drums and Audio Live Accoustic and Electric Giutar. Bank Modelling Libraries (Drum, Grooves, Bass, Piano, Guitar 1 & 2, Arpagio, Live Guitar. RIFF styles.	N/A
AJAMSONIC STYLES (when installed)	260 with Pattern Expansion FLASH memory.	140 - with Midi Drums & Audio Grooves. RIFF Styles.	140 - with Midi Drums & Audio Grooves. RIFF Styles.	260 -with Midi Drums, Audio Grooves and Live Audio Drums. RIFF Styles.	240 -with Midi Drums, Audio Grooves and Live Audio Drums.	N/A
STYLE CREATOR (making your own styles from scratch)	YES	(Requires external software)	YES (Includes individual style parts EXPORTED to Midifile)	YES (Includes individual style parts EXPORTED to Midifile)	YES (Robust Editor)	N/A

			1	T		
				YES (Volume, SFX, Mute, Pan),		
				Midi Drum Compressor, Audio	YES (Volume, SFX, Mute, Pan),	
			YES (Volume, SFX, Mute,	Drum time stretch, Audio Drum	Audio Drum time stretch, Audio	
DRUM MIXER	YES (Volume, SFX, Mute, Pan)	YES (Volume, SFX, Mute, Pan)	Pan)	Eq (presets)	Drum Parametric EQ,	Via PC
				100 (Standard) CEO (Mith	270 (Standard) 4500 (Mith	
				100 (Standard). 650 (With	370 (Standard). 1500 (With	
LIVE AUDIO DRUMS (Used				AJAMSONIC Upgrade kit installed). Time stretch. EQ	AJAMSONIC Upgrade kit installed). Time stretch. EQ	
in both Factory and User				(Presets). Accepts USER Audio	•	
· · · · · · · · · · · · · · · · · · ·	N/A	N/A	N/A		(Presets & User Programmable).	N/A
Styles)	IN/A	IN/A	IN/A	Live Drums.	Accepts USER Audio Live Drums.	N/A
						244. Includes Latin
AUDIO DRUMS / GROOVES						Percussions and Grooves.
(Sliced Audio Drum parts)	YES	YES	YES	YES	YES	Download at www.Ketron.it
DELAW LINE ALIDIO DOLLAG						
REMIX LIVE AUDIO DRUMS & GROOVES WITH						
MIDIFILES	N/A	YES	YES	YES	YES	N/A
IVIIDIFILES	N/A	TES	IES	TES		IN/A
					100 (Standard). 150 (With	
				150 (Standard). 180 (With	AJAMSONIC Upgrade kit installed). Interactive Live	
				AJAMSONIC Upgrade kit	GUITAR. Accepts User Live	
LIVE AUDIO GUITARS	N/A	N/A	N/A	installed)	Guitar.	N/A
LIVE ADDIO GOTTARS	IN/A	IN/A	IN/A	mistaneu)	Guitai.	N/A
REMIX LIVE AUDIO GUITAR						
WITH MIDIFILES	N/A	N/A	N/A	N/A	YES	N/A
		YES (Vol, Rev, Chorus, Pan,	YES (Vol, Rev, Chorus, Pan,	YES (Vol, Rev, Chorus, Pan,		
		Voice), GM Voice Edit (ADR,	Voice), GM Voice Edit (ADR,	Voice), GM Voice Edit (ADR,	YES (Vol, Rev, Chorus, Pan, Voice),	
		VCF, LFO), Assignable Tracks,	VCF, LFO), Assignable	VCF, LFO), Assignable Tracks,	GM Voice Edit (ADR, VCF, LFO),	
	YES (Vol, Rev, Chorus, Pan, Voice),	Voice Change, Track insert	Tracks, Voice Change, Track	Voice Change, Track insert EFX,	Assignable Tracks, Voice Change,	
	Save with new	EFX, Save with new	insert EFX, Save with new	Save with new	Save with new	
MIDIFILE EDITOR	changes/modifications.	changes/modifications.	changes/modifications.	changes/modifications.	changes/modifications.	Via DAW/Software

				YES.		
				2048 LaunchPad Projects. 6		
				scenes with 12 pads each (midi		
				or audio content). 30 Internal		
				Demos. Each Scene can use up		
				to 3 Audio/Wav files with time		
				stretching & Midi Sync. Drum		
				Kit looper. Style import. Chord		
LAUNCHPAD (SEQUENCER				sequencer. Pad Recorder (midi).		
& STYLE MERGER TOOL)	N/A	N/A	N/A	Song Arranger & Recorder.	N/A	N/A
MODELLING/LIVE						
MODELLING (Style						
Modelling Library with Live						
Drums, Grooves, Bass,						
Piano, Guitar, Brass,				YES (+ LIVE AUDIO Drms & Live	YES (+Arp& Lyc + LIVE AUDIO	
Strings, Pad/Synth				Audio Guitar) in LIVE	Drums & Live Audio Guitar) - in	
templates)	N/A	N/A	YES	MODELLING	VIEW mode	N/A
				400mh Mary Land/Greats vision	CANAD (Fundamental blocks 25C) 44.4	
				400mb Max. Load/Create your	64MB (Expandable to 256). 44,1	
				own samples (Sounds and	Khz 16 bits Format (MSP).	
				Drum Kits). Edit individual	Load/Create your own samples.	
CANADI ED /LICED NAENAODV	NI / A	N1/A	N1/A	wave files. SF2 compliant. 44,1	Drum Kit creation	N1 / A
SAMPLER/USER MEMORY	N/A	N/A	N/A	Khz 16 bits Format	(AjamSonic/KETRON).	N/A
					2 Mic inputs (XLR). Individual	
					Gain Control. 10 Band EQ	
	1 Mic. Effects. Volume. 10 Band			1 Mic. Effects. Volume. Echo.	(Programmable), Echo. Reverb.	
	EQ. Echo. Reverb. Pitch. Shift.			Reverb. Pan. Pitch Shift. Talk	Pan. Pitch Shift. Talk Mode (mute	
MICROPHONE	Talk.	1 Mic. Effects. Volume	1 Mic. Effects. Volume	Mode (mute effects).	effects). Voice Transform.	N/A
	OPTIONAL (3 Parts max with				5 Voices Part Max. Manual.	
	Presets. User). Advance Editing.			3 Voices Part Max. Manual.	Unison. Mid Mode (follow	
	Male/Female Voice			Unison. Mid Mode (follow	Midifiles). Pitch Corretion.	
	Programmable. Midifile Vocalizer	3 Voices Parts Max. On / Off	3 Voices Part Max. 10	Midifiles). Pitch Corretion.	Autotune. 10 User Programable.	
VOCALIZER / VOICETRON	Track follow.	only.	Presets. 10 User.	Autotune. 10 User Programable.	Compressor. Limiter	N/A
		·				
			Audio & Midifile. 1 STEREO	Audio and Midifile. 1 STEREO		
			Track recording (Wave).	Track recording (Wave).	Audio (Mp3 & Wave), Midifile, &	
			Loop/Phrase Recording.	Loop/Phrase Recording. Song	Macro recording. 1 STEREO Track	
			Song Recording (10 mins	Recording (10 mins max. per	Recording (Wave & MP3	
			max. per recording). Audio	recording). Audio Edit with Cut,	Encoder). Macro Recording.	
			Edit with Cut, Normalize,	Normalize, Midi Recording (16	Audio Edit with Cut, Normalize,	
		1 STEREO Track recording	Midi Recording (16 Tracks).	Tracks). Replace & Over	Midi Recording (16 Tracks).	
HD RECORDING	MIDIFILE	(Wave)	Replace & Over dubbing.	dubbing.	Replace & Over dubbing.	N/A

KEYTUNE (Assign						
Audio/Wave/Mp3 files to						
Keys - Playback one shot	,			,		
or Loop)	N/A	N/A	N/A	N/A	YES	N/A
			2 STEREO (L&R),	2 STEREO (L&R),	2 STEREO (L&R), 4 Aux	
			Headphones/Aux	Headphones/Aux	(Programmable ALL parts),	
			Programmable (Drums,	Programmable (Drums, Bass,	Headphones. SPDIF (Audya	LEFT/RIGHT RCA Stereo.
OUTPUTS	2 STEREO (L&R), Headphones	2 STEREO (L&R), Headphones	Bass, Chords, Lead Voice)	Chords, Lead Voice)	ONLY)	Headphones out (1/8" jack).
0011013	2 STEREO (EGRI), Treadpriories	2 STEREO (EQRI), Fledaphones	bass, energs, ceau voice,	chorus, Ecua Voice,	OHE!	Treadpriories out (170 Jacky.
					2 XLR Mic inputs. 2 Line Inputs	
	Mic1 (Mic2 1 with optional		Mic1. Line in/Guitar/Mic2,	Mich Line in /Cuiter/Mich	(Stereo), Sustain, Volume,	
INPUTS	Mic1. (Mic2 1 with optional adaptor).	Mic1. Line in/Guitar/Mic2	Volume	Mic1. Line in/Guitar/Mic2, Sustain, Volume	Footswitch (6 or 13)	N/A
INFUIS	auaptor).	WICL LINE III/GUITAI/WICZ	Volume	Sustain, volume	Pootswitch (8 of 13)	IN/A
LINE IN TRANSPOSITION						
(play back from e.g lpod)	N/A	N/A	N/A	N/A	YES	N/A
(play back from e.g ipou)	IN/A	IN/A	IN/A	IN/A	TES	IN/A
SUSTAIN PEDAL Jack						
(Sustain. Programmable						
for Chord Lock with Midi						
Guitar/Pianist mode,						
Rotor Slow/Fast with						
Organ Lesslie)	YES	N/A	N/A	YES	YES	N/A
				1024 Registrations X 4 Banks.		
				Full Panel and functions		
		1024 Registrations X 4 Banks.	1024 Registrations X 4	storage/settings. Registration	9999 Registrations. Full Panel and	
		Full Panel and functions	Banks. Full Panel and	linked to any 1 file (wave, Mp3,	functions storage/settings.	
		storage/settings. Registration	functions storage/settings.	Video, Midifile, Text. PDF). 4	BLOCK Registration linked to any	
		linked to any 1 file (wave,	Registration linked to any 1	Playbox with 1024 files per	20 files at once for instant recall	
REGISTRATION (SONG		Mp3, Video, Midifile, Text.	file (wave, Mp3, Video,	folder (midifiles, wave, Mp3).	(waves, Mp3s, Midifiles, Texts,	
BOOK/SONG SETUP)	198	PDF)	Midifile, Text. PDF)	LaunchPad setup recall.	styles, voices, Registrations).	N/A
BOOK/SONG SETUP)	198	PDF)	Wildille, Text. PDF)	Laurich Fau Setup Fecali.	styles, voices, Registrations).	N/A
CONNECTION TO						
COMPUTER	SERIAL (Via KETRON Software)	USB	USB	USB	USB	USB
USB MIDI CONTROLER	N/A	YES.	YES.	YES.	N/A	N/A
JOS III. S. CONTROLER	,//	. 25.		. 25.	.,,,,	,//\
	4 (In1/GM, In2/Keyboard, Out,		4 (In1/GM, In2/Keyboard,	4 (In1/GM, In2/Keyboard, Out,	4 (In1/GM, In2/Keyboard, Out,	
MIDI	Thru)	3 (In, Out. Thru)	Out, Thru)	Thru)	Thru)	In, Out, USB
11112		- (,	,,	2,	2,	,,
		8GB SSD (16GB SSD with	8GB SSD (16GB SSD with	8GB SSD (16GB SSD with	80GB HD (Upgradable to 60GB	
		AJAMSONIC Upgrade -	AJAMSONIC Upgrade -	AJAMSONIC Upgrade -	AJAMSONIC SSD Drive - Faster	
DISK STORAGE (internal)	OPTIONAL (20GB Max)	upgradable to 500GB)	upgradable to 500GB)	upgradable to 500GB)	and more reliable than HD).	N/A
DISK STORAGE (IIILEINAI)	OF HONAL (2000 IVIAX)	(מטטטכ טו אואומייייייייייייייייייייייייייייייייי	uhki ananis (n 2000g)	עאַנו מעמטופ נט טטטטשן	and more reliable than nD).	IN/A
MULTI-LANGUAGE SCREEN						
DISPLAY (English, Italian &	_					_
German)	N/A	N/A	N/A	N/A	YES	N/A

	1 USB (standard). Upgradabe to 1					
USB / SD MEDIA	USB + 1 SD Card Audio Player	3 USB + 1 SD Card	3 USB + 1 SD Card	3 USB + 1 SD Card	2 USB	N/A
DIMENSIONS	(LXWXH) = 39" X 17" X 6"	(LXWXH) =	(LXWXH) = 13 X 7.1 X 4	(LXWXH) = 16.7" X 10.1" X 4.5"	(LXWXH) = 21" X 13" X 5"	(L X W X H) = 4" X 3" X 1"
WEIGHT	9 lbs	7.7 lbs	4.4 lbs	8 lbs	15 lbs	1 lbs
MANUAL						
(Hard/Soft internal copy)	Hard	Soft/Internal	Soft/Internal	Soft/Internal	Hard	Hard
DVD TUTORIAL	YES	YES	In Progress	In Progress	YES	N/A